





Seven Clover Albuquerque, NM 09.21.22





READY TO ELEVATE YOUR CULTIVATION

Alex Lluch
Sales
619-578-4013
alluch@pipphorticulture.com

Stacey Sage
Senior Horticulture Account Mgr.
616-855-6074
ssage@pipphorticulture.com

CONFIDENTIALITY NOTICE: This document is a strictly confidential communication to and solely for the use of the recipient and may not be reproduced or circulated without Pipp Horticulture's prior written consent. The included information was solely prepared for potential business opportunities between the recipient and Pipp Horticulture. If you are not the intended recipient, you may not disclose or use the information in this documentation in any way.

PROJECT DETAILS

• PIPP HORTICULTURE MOBILE

Pipp Horticulture Mobile Storage System, which includes our heavy-duty mechanical assist carriages with a 3-prong handle, white drive box covers, heavy-duty flat track and all track accessories for installation. See accompanying layout.

• CULT ROOM (2 IDENTICAL ROOMS) – TRAK FREE

 System One: (4) Mobile Bases at 384" X 48" and (1) at 384" X 36" with 1 run of track at 22' 10"

PIPP HORTICULTURE RACKING

Pipp's Vertical Grow Racking is all white with Fungal Resistant and Anti-Microbial paint.

CULT ROOMS

 Racking is 11' high with 3 grow levels. Top level includes beams and supports for hanging lights


PIPP HORTICULTURE TRAYS

- Included in this proposal are Pipp's ABS Combination Trays. This tray is constructed of durable ABS plastic and can be utilized in a Drip to Drain or Ebb and Flow growing method. Includes a trough for water removal. The tray is Thermoformed with a Korad cap to provide Fungal Resistant and Anti-Microbial properties. The tray sits level to provide plants with a flat growing surface. A Network of sloped canals within the tray ensure proper Drainage away from the plants to the drain location.
- Trays are not intended to be used as a standing platform and should not be stood on at any time.
 Damages as a result will not be covered under the warranty and replacement will be at current market value.

PIPP HORTICULTURE SEISMIC - Optional

- All provided products can be built to meet seismic requirements with our Anti-Tip Track, seismically approved anchors, and various shelving reinforcement methods.
- Engineered signed and stamped drawings are available upon request at an additional cost.
- When and where seismic documents are required, must be communicated prior to final sign-off of the elevations and layouts.

9/21/2022 2





2966 WILSON DRIVE NW GRAND RAPIDS, MI 49534 TEL: 800.234,7477 FAX: 616,791.9916 WWW.PIPPHORTICULTURE.COM E-MAIL: INFO@PIPPHORTICULTURE.COM

Δ	DATE	REVISION			
Δ	8.23.22	CDW			
Δ					
◬					

PROJECT LOCATION: SEVEN CLOVER ALBUQUERQUE, NM

SPACE NO.

SHEET TITLE:

OVERALL PLAN VIEW


PROJECT NO. SCALE: NOT TO SCALE

DATE: 12.08.2021

DRAWN BY: JRL
REVIEWED BY: XXX
SHEET NO.

PARTIAL FIXTURE PLAN

THE ABOVE DRAWINGS AND SPECIFICATIONS AND DEAS, DESIGNS AND RARANCEMENTS REPRESENDED THEREOY ARE AND SHALL REMAIN THE PROPERTY OF PIP MOBILE STORAGE SYSTEMS. AND NO PART THEREOF SHALL BE COPIED, DISCLOSED TO OTHERS OR USED IN THE CONNECTION WITH ANY WORK OR PROJECT OTHER THAN IT WERE PROPERTY OF PIP MOBILE STORAGE SYSTEMS. WITHOUT THE WRITTEN CONSENT OF PIP MOBILE STORAGE SYSTEMS. VISUAL CONTACT WITH THESE DRAWINGS OR SPECIFICATIONS SHALL CONSTITUTE CONCUSSION. WRITTEN DIMENSIONS ON THESE RESTRICTIONS. WRITTEN DIMENSIONS ON THESE DRAWINGS AND SHALL HAVE PROCEED COVER SCALED DIMENSIONS. AND SHIP PIP MOBILE STORAGE SYSTEMS IN THE CLIENT AND DOWN IN A COORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. NORE OF THE BIRN-LOYES OF PIP MOBILE ARE REGISTERED AROUNTED. SHALL MANUAR SHALL PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. NORE OF THE BIRN-LOYES OF PIPP MOBILE ARE REGISTERED AROUNTED. SHALL MANUAR SHALL PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. AND DRAWN IN ACCORDANC





HORTICULTURE

2966 WILSON DRIVE NW GRAND RAPIDS, MI 49534 TEL: 800.234.7477 FAX: 616.791.9916 WWW.PIPPHORTICULTURE.COM E-MAIL: INFO@PIPPHORTICULTURE.COM

Total	955.500000	809		64%	1824	
Room Width	22.750000	19			3	
Room Length	42.000000	32			Grow Tiers	
Canopy Calculations	SQFT of Grow Room	SQFT of Mobile	Shelving	% of Room Utilization	SQFT Canopy	

DATE	REVISION				

PROJECT LOCATION: SEVEN CLOVER ALBUQUERQUE, NM

SPACE NO.

SHEET TITLE:

CULTIVATION ROOMS TYPICAL 1 OF 2 ROOMS

PROJECT NO.

SCALE: NOT TO SCALE

DATE: 12.08.2021

DRAWN BY: JRL

REVIEWED BY: XXX

SHEET NO.

PARTIAL FIXTURE PLAN


Specifications: Rack Height: 11'

Overall System Height: 11'-5" Size: 8'x3' or 4' And 4'x3' or 4'

No. of Grow Levels: 3

Vertical Grow Rack





THE ABOVE DRAWINGS AND SPECIFICATIONS AND IDEAS, DESIGNS AND ARRANGEMENTS REPRESENDED THEREBY ARE AND SHALL REMAIN THE PROPERTY OF PIPP MOBILE STORAGE SYSTEMS: AND NO PART THEREOF SHALL BE COPIED, DISCLOSED TO OTHERS OR USED IN THE CONNECTION WITH ANY WORK OR PROJECT OTHER THAN THE SPECIFIC PROJECT FOR WHICH

NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY, IF USED FOR CONSTRUCTION, THE CLIENT AND CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR FEDERAL, STATE AND LOCAL CODE COMPLIANCE, ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH REQUIREMENTS PROVIDED BY CLIENT. NONE OF THE EMPLOYEES OF PIPP MOBILE ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS, ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS, IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR FOR CODE COMPLIANCE BEFORE ACTUAL CONSTRUCTION BEGINS, PIPP MOBILE WILL BE HELD HARMLESS. PIPP MOBILE AND ITS AGENTS ASSUME NO LIABILITY FOR FINAL DESIGN, CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

PROJECT PRICING

• <u>INVESTMENT:</u> Based on the information provided and the included details of this submittal, your estimated project total will be:

Quote No.	Room ID	Sqft of Canopy	Materials	Trays	Install	Est. Freight	Seismic	Ext. Tax	Totals	Price per Sqft of Canopy
Q#47037	Cult 1	1824	\$ 38,629.93	\$ 14,935.19					\$ 53,565.12	29.37
	Cult 2	1824	\$ 38,629.93	\$ 14,935.19					\$ 53,565.12	29.37
Combined Frt						\$ 10,589.10			\$ 10,589.10	
Grand Totals		3648	\$ 77,259.86	\$ 29,870.38	\$ -	\$ 10,589.10	\$ -	\$ -	\$ 117,719.34	32.27

Note: All dollars are in US Currency. Tax is not included in this total. Unless you are tax exempt, tax will be provided at the time of invoicing.

Please read and understand the below parameters for this submittal:

- MATERIALS: All pricing will be held and honored for 30 days. However, due to the volatility in the metal markets for both steel and aluminum, as well as resin for the ABS Trays anything older will need to be reviewed prior to final acceptance of the proposal. In addition, we continue to utilize marketplace feedback and new product development to ensure you have the latest grow components available. This may result in some fluctuation in pricing. We make every effort to hold or minimize costs associated with these adjustments.
- <u>TRAYS:</u> are not designed to be used in a manner where any trades or facility personnel can walk on them for installation of other components in the grow room. Damaged trays as a result of this misuse will not constitute replacement under the warranty, all replacements will be charged at current market value.
- INSTALLATION: Installation is an estimate at the time of quoting. Final installation schedule can affect the overall cost of labor. Initial estimates are typically based per room, unless otherwise noted. Savings can be achieved by consolidating rooms to maximize install duration, equipment rental, travel and expenses. Installation is based on Non-Union Labor to be preformed during normal business hours. All areas of the installation need to be free and clear of materials prior to and during the installation. Price is based on normal access to the loading dock, hallways and doors leading into the grow room. Any special site conditions, such as a decontamination process, will be handled on an individual project basis and will need to be made known, as costs are not included.
- FREIGHT: Due to the volatility of the Freight market, the freight costs shown are an estimate at the time of quoting. Final delivery schedule can affect the overall freight cost. Initial estimates are typically based per room, unless otherwise noted. Savings can be achieved by consolidating rooms to maximize load density within the trucks. In addition, there are many factors that affect the freight estimate, including fuel surcharges, driver availability etc. The freight costs will be finalized at the time of ordering prior to final acceptance of the proposal.
- SKID COUNTS AND DIMENSIONS: Due to the unique nature of our product offerings, there are no standard pack sizes for our loaded products. Skid counts, sizes and weights will vary by project. Actual skids sizes are not available until the product is manufactured and packaged. Until that time all are estimates and subject to change. Our product can not be double stacked within a trailer or container. We make every effort to maximize the load and consolidate freight by trailer or container. To ensure the least amount of opportunity for damaged goods, it is highly recommended to load the freight at Pipp's facilities with a dedicated trailer or container, only to be opened and unloaded at the final destination. Additional handling and reloading highly increases the chances for damages.
- STORAGE FEES: Storage fees will be incurred, should there be any date changes or delays once the product is 4 weeks from shipment, due to production schedule adjustments. Delays include, but are not limited to: Site not ready to receive product, funding not available for final payment, etc. Total storage fees will depend on the size of the order and the duration to which the materials are to be stored. Transportation costs from the production facility to the storage facility will be included in the storage fee totals.
- <u>DUNNAGE:</u> Pipp Installers will need access to a facility provided dumpster(s) for packaging dunnage, as well as all pallet removal from site (wood or metal). Our installers will set the pallets and dunnage in the designated area on-site, as part of our clean up at the end of our installation.
- TAX: Tax is not included in the above totals. Final material, installation and freight amounts will affect the total tax. Tax will be provided at the time of invoicing. We do not collect taxes outside of the US.
 9/21/2022

PROJECT SPECIFICATIONS:

TRAK-FREE Carriage

- Maximum carriage length is 56' long
- Maximum shelving height: up to 16' high (taller systems require Engineering approval)
- Maximum wheel load: 500 lbs/wheel
- Maximum 8' section load: 1,000 lbs / Maximum 56' long carriage load: 7,000 lbs
- In-Track Anti-Tip Track not included. Overhead Anti-Tip available with Engineering and Seismic approval.
- Mechanical-Assist Drive System, with galvanized steel drive pipe, allows easy movement of carriage. It is available with a locking 3-prong handle is ideal for heavier loads like grow rooms.
- Carriages are constructed of corrosion resistant, marine grade aluminum
- Single Guide Track with rust resistant steel inserts and 3.25" rust resistant steel wheels
- 4" Urethane floor wheels



Vertical Grow Rack

- Racks available up to 23' high. (Racks higher than 23' require engineering approval.)
- White Powder Coat is UV-stable and contains anti-microbial and fungal-resistant additives
- Beams can support 2,150 lbs
- High capacity shelving constructed from high strength steel
- Uprights can support up to 17,000 lbs
- Supports a wide variety of grow trays, dry & cure rack accessories for LED lights, and other utilities



ABS Combination Tray

- Tray can be utilized for drip-to-drain or ebb & flow irrigation styles
- Durable ABS construction
- Thermoformed with a Korad cap to provide UV-stability, anti-microbial and fungal-resistant properties
- Tray has a slight 1/2" slope back to front
- Network of sloped canals within the tray ensure proper drainage away from plants to drain location
- Easy cleanup



9/21/2022 4

SERVICES

INSTALLATION:

Certified

- Pipp's installers are experienced with our systems.
- Pipp installers are efficient about the installation process. Allowing for a quick set up of fixtures.

One Year Warranty on Labor

- Pipp's warranty on parts is 5 years from the date of purchase.
- Pipp installs also include a 1 year warranty on the labor to install any replacement parts

Pipp **Installers** receive all materials

- Pipp Installers meet the truck and off load all materials.
- Materials are moved into the building.
- Materials are checked for damages and shortages.

TRANSPORTATION:

LTL and TL options depending on the size of the project

- •We work to get the best rates based on project size and location.
- Consolidating rooms helps improve transportation costs.

delivery

- •We track shipments from pick up to delivery.
- •We ensure on time delivery.
- Deliveries can be scheduled with a one hour window.

any damages during transit

- •When Pipp handles the freight we are responsible for any damages or shortage during transit.
- No out of pocket costs to the customer.

Will Replace

ORDERING INFORMATION

SIGN OFF:

- Acknowledgement of the layout will require a signature on the layout page(s). The signature stipulates that the room dimensions have been verified, celling heights confirmed and drain locations will comply with the approved layout.
- In addition, the **elevations will require a signature**. The signature acknowledges you are in approval of the beam locations for the various grow levels. Adjustments can be made prior to the installation beginning. Any adjustments in the field after the beams are in place will be made on a time and materials basis at an additional fee to the owner.

TRAK-FREE CARRIAGE SYSTEMS:

To ensure and maintain proper carriage alignment, the TRAK-FREE carriages should be moved
one at a time using the 3-prong handle. Moving multiple carriages simultaneously or manually
moving the carriages can cause them to misalign, bind or function poorly. This could require a
visit from Pipp to realign the carriages. Pipp is not liable in such cases for the realignment costs
incurred.

LEAD TIME:

• Lead time for materials is approximately **6-8 weeks plus transit** - (depending on product selected and production scheduling availability). Lead time **starts once payment** is received.

PAYMENT TERMS:

 All projects require 100% down payment prior to releasing product for production. Upon authorization to proceed with a project, a Proforma invoice will be provided and tax will be included if applicable.

WARRANTY:

- Pipp Horticulture Carriages and Vertical Grow Racks are warrantied for Five (5) years to the
 original purchaser. Due to the high humidity in the grow environment, some tarnishing, oxidation
 and metal decomposition is expected. These blemishes are merely cosmetic and do not qualify
 for replacement under the warranty. Note for reference: relative humidity is a typical cannabis
 flower room is < 55%.
- If Thermoform Trays are provided, they carry a One (1) year warranty. The Greenhaus Trays and Inserts carry a 3 year warranty.
- **Elevated Platform** products are warrantied for One (1) year to the original purchaser. Due to the nature of their use, these parts will wear over time and will need to be regularly inspected and possibly replaced if damaged or integrity is degraded.
- All Pipp Installations are warrantied for One (1) year from the date of the original installation for labor on replacement parts.

9/21/2022